




Timber Engineering Machinery

MULTI-BLADE SAWS

MiTek Easy-Cut 4

Component Saw



The Easy-Cut 4 Saw is a power-assisted, manually set up component saw, where all axis positions are set up using push-button control and LCD read-outs at two control panels.

Shaping the future



MiTek Easy-Cut 4

Component Saw

Specifications

Rugged, versatile, dependable the Easy-Cut 4 combines the best mechanical features with the latest in fabricating technology, to provide you with a fast, efficient and modern four blade component saw that delivers a full range of cutting capabilities.

Physical Data

Overall width: 3.65 m
 Overall height: 2.15 m
 Overall saw length: 10.5 m
 Shipping weight: 4.8 t (approx.)
 Power requirement: 29.2 kW

Four bladed component saw for web cutting:

Fixed end:

Saw#1, 500 mm, carbide blade +40° through -85°

Saw#2, 800 mm, carbide blade -15° through +85°

Carriage end:

Saw#3, 500 mm, carbide blade -50° through +75°

Saw#4, 800 mm, carbide blade +15° through -85°

Performance Data

Maximum lumber height: 280 mm
 Maximum straight cut length: 6,000 mm
 Minimum straight cut length: 500 mm
 Minimum cut with four 45°: 680 mm

Easy-Cut 4 Features


Two central control stations that allows all set-up operations to be performed at the sawyer feed station.

All quadrants have powered angulation with electronic digital readouts and independent powered vertical centreline adjustment with readouts.

Heavy duty lumber conveyor with variable speed drive, 0-50 pieces per minute.

Variable speed angulation drives for faster, more accurate set up.

Heavy duty precision machined slide and casting quadrant construction.



MiTek Industries Ltd

Grazebrook Ind Est, Peartree Lane
 Dudley, West Midlands DY2 0XW

Tel (+44) 1384 451400

Fax (+44) 1384 451411

Contact:

Mr Roy Troman - Sales & Marketing Director
Mr Peter Bullock - Special Products Manager

Website: www.mitek.co.uk